

**ROCKFORD FOSGATE ACCESSORIES 2005.****RCA CABLES****RIOT TWO CHANNEL**

CPR-100	Riot Signal Cable - 3.3' (1.0m)	<b>590</b>
CPR-300	Riot Signal Cable - 9.8' (3.0m)	<b>820</b>
CPR-500	Riot Signal Cable - 16.4' (5.0m)	<b>910</b>

**DUAL TWIST TWO CHANNEL**

CPDT-050	Dual Twist Signal Cable - 1.5' (0.5m)	<b>160</b>
CPDT-100	Dual Twist Signal Cable - 3.3' (1.0m)	<b>200</b>
CPDT-200	Dual Twist Signal Cable - 6.6' (2.0m)	<b>270</b>
CPDT-300	Dual Twist Signal Cable - 9.8' (3.0m)	<b>340</b>
CPDT-500	Dual Twist Signal Cable - 16.4' (5.0m)	<b>410</b>

**DUAL TWIST FOUR CHANNEL**

CPDT-4/5	Dual Twist Signal Cable - 16.4' (5.0m)	<b>620</b>
CPDT-4/6	Dual Twist Signal Cable - 19.7' (6.0m)	<b>820</b>

**DUAL TWIST Y-ADAPTERS**

CPDT-1M	Dual Twist Signal Cable - 1 Male to 2 Female	<b>190</b>
CPDT-1F	Dual Twist Signal Cable - 1 Female to 2 Male	<b>190</b>

**RF TWISTER TWO CHANNEL**

CPT-050	RF Twister Signal Cable - 1.5' (0.5m)	<b>70</b>
CPT-100	RF Twister Signal Cable - 3.3' (1.0m)	<b>80</b>
CPT-200	RF Twister Signal Cable - 6.6' (2.0m)	<b>100</b>
CPT-300	RF Twister Signal Cable - 9.8' (3.0m)	<b>110</b>
CPT-500	RF Twister Signal Cable - 16.4' (5.0m)	<b>130</b>

**RF TWISTER Y-ADAPTERS**

CPT-1M	RF Twister Signal Cable - 1 Male to 2 Female	<b>70</b>
CPT-1F	RF Twister Signal Cable - 1 Female to 2 Male	<b>70</b>

**RF STANDARD TWO CHANNEL**

CPS-100	RF Standard Signal Cable - 3.3' (1.0m)	<b>80</b>
CPS-200	RF Standard Signal Cable - 6.6' (2.0m)	<b>80</b>
CPS-300	RF Standard Signal Cable - 9.8' (3.0m)	<b>80</b>
CPS-500	RF Standard Signal Cable - 16.4' (5.0m)	<b>120</b>
CPS-500B	RF Standard Signal Cable - 16.4' (5.0m) - 25 pairs - bulk	<b>2180</b>

**RF STANDARD Y-ADAPTERS**

CPS-1M	RF Standard Signal Cable - 1 Male to 2 Female	<b>50</b>
CPS-1F	RF Standard Signal Cable - 1 Female to 2 Male	<b>50</b>

**STEALTH VIDEO CABLE****ONE CHANNEL VIDEO**

CPSTV-050	Stealth Twisted Video - 1.6' (0.5m)	<b>110</b>
CPSTV-100	Stealth Twisted Video - 3.3' (1.0m)	<b>130</b>
CPSTV-200	Stealth Twisted Video - 6.6' (2.0m)	<b>170</b>
CPSTV-300	Stealth Twisted Video - 9.8' (3.0m)	<b>180</b>
CPSTV-500	Stealth Twisted Video - 16.4' (5.0m)	<b>230</b>

**VIDEO SPLITTER**

RP5000	3-way Video Splitter	<b>250</b>
--------	----------------------	------------

**SPEAKER CABLE****GAMMA GEOMETRY™ SPEAKER CABLE**

CPRG15-30	Riot Gamma Geometry - 15 AWG (1.65mm <sup>2</sup> ) Copper, Black & Clear - 30ft (9m) blister pack	<b>400</b>	44,4/m
CPRG11-250	Riot Gamma Geometry - 11 AWG (4.17mm <sup>2</sup> ) Copper, Black & Clear - 250ft. (76m)	<b>4930</b>	64,8/m
CPSTW15-400	15 AWG (1.65mm <sup>2</sup> ) Super Twist High-Definition OFC Speaker Cable, 400ft. (122m)	<b>1840</b>	15,1/m
RP2010-1000	16 AWG (1.31mm <sup>2</sup> ) Super Twist High Definition OFC Speaker Cable, 1000ft. (304m) (no easy pull box)	<b>3480</b>	11,4/m

**PACKAGED SPEAKER CABLE**

RP2121	12 AWG (3.31mm <sup>2</sup> ) PERFORMANCE PC-OFC Speaker Cable, 15ft. (4.5m)	<b>120</b>
RP2163	16 AWG (1.31mm <sup>2</sup> ) PERFORMANCE PC-OFC Speaker Cable, 30ft. (9m)	<b>120</b>
RP2183	18 AWG (.82mm <sup>2</sup> ) PC-OFC Speaker Cable, 30ft. (9m)	<b>70</b>

**ROCKFORD FOSGATE ACCESSORIES 2005.****SUPER-FLEX COMPETITION POWER & GROUND CABLE****TRANSLUCENT RED**

CPSF2/0-50R	2/0 AWG (67.4mm <sup>2</sup> ) Super-Flex Competition cable, 5929 Strands, 50ft. (15.2m)	<b>3840</b>	256/m
CPSF1/0-50R	1/0 AWG (53.5mm <sup>2</sup> ) Super-Flex Competition cable, 4704 Strands, 50ft. (15.2m)	<b>3840</b>	256/m
CPSF4-100R	4 AWG (21.1mm <sup>2</sup> ) Super-Flex Competition cable, 1862 Strands, 100ft. (30.4m)	<b>2330</b>	77,7/m

**TRANSLUCENT BLACK**

CPSF2/0-50B	2/0 AWG (67.4mm <sup>2</sup> ) Super-Flex Competition cable, 5929 Strands, 50ft. (15.2m)	<b>3840</b>	256/m
CPSF1/0-50B	1/0 AWG (53.5mm <sup>2</sup> ) Super-Flex Competition cable, 4704 Strands, 50ft. (15.2m)	<b>3840</b>	256/m
CPSF4-100B	4 AWG (21.1mm <sup>2</sup> ) Super-Flex Competition cable, 1862 Strands, 100ft. (30.4m)	<b>2330</b>	77,7/m

**HIGH PERFORMANCE POWER & GROUND CABLE****TINNED BRAIDED TRANSLUCENT BLUE & SILVER**

CPPWBL1/0	1/0 AWG (53.5mm <sup>2</sup> ) Blue, 4704 Strands, 40ft. (12.2m)	<b>2740</b>	228/m
CPPWS1/0	1/0 AWG (53.5mm <sup>2</sup> ) Silver, 4704 Strands, 40ft. (12.2m)	<b>2740</b>	228/m
CPPWBL4	4 AWG (21.1mm <sup>2</sup> ) Blue, 1862 Strands, 100ft. (30.4m)	<b>2060</b>	68,7/m
CPPWS4	4 AWG (21.1mm <sup>2</sup> ) Silver, 1862 Strands, 100ft. (30.4m)	<b>2060</b>	68,7/m
CPPWBL8	8 AWG (8.36mm <sup>2</sup> ) Blue, 735 Strands, 250ft. (76m)	<b>1920</b>	25,3/m
CPPWS8	8 AWG (8.36mm <sup>2</sup> ) Silver, 735 Strands, 250ft. (76m)	<b>1920</b>	25,3/m

**AMPLIFIER INSTALL KITS**

CP4DCKR	4 AWG complete - 17ft 4 AWG red braided power cable, 3ft 4 AWG silver braided ground cable, 6ft 8 AWG red braided power cable, 6ft 8 AWG silver braided ground cable, CPST-500 16.4ft twisted interconnect, 40ft 16 AWG OFC speaker cable, high current MAXI fuse holder with 60 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>1850</b>
CP4POR	4 AWG power only - 17ft 4 AWG red braided power cable, 3ft 4 AWG silver braided ground cable, high current MAXI fuse holder with 60 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>670</b>
CP8CK	8 AWG complete - 17ft 8 AWG red power cable, 3ft 8 AWG black ground cable, CPST-500 16.4ft Twisted interconnect, 40ft 16 AWG OFC speaker cable, high current AGU fuse holder with 40 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>720</b>
CP8PI	8 AWG power with signal - 17ft 8 AWG red power cable, 3ft 8 AWG black ground cable, CPT-500 16.4ft Twister interconnect, high current AGU fuse holder with 40 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>530</b>
CP8PO	8 AWG power only - 17ft 8 AWG red power cable, 3ft 8 AWG black ground cable, high current AGU fuse holder with 40 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>410</b>
CP10CK	10 AWG complete - 17ft 10 AWG red power cable, 3ft 10 AWG black ground cable, CPT-500 16.4ft Twister interconnect, 40ft 16 AWG OFC speaker cable, ATC fuse holder with 25 amp fuse, three 4 AWG solid copper seamless ring terminals and accessory pack.	<b>410</b>

**BATTERY CLAMPS**

CPPSBC1	HPP Platinum Plated Competition Dual Output Single Input Battery Clamp, with X-Grip Technology (2) 2/0-1/0 AWG and (1) 4 AWG connection.	<b>550</b>	
CPPBCTOP	Thread on style w/ (1) 1/0 AWG and (2) 4 AWG directional connections - positive.	<b>380</b>	
CPPBCTON	Thread on style w/ (1) 1/0 AWG and (2) 4 AWG directional connections - negative.	<b>380</b>	
CPBCMAX1	HPP Platinum Plated MAXI fused Battery Clamp - positive. One MAXI fused 4 AWG output and one non-fused 4 AWG input.	<b>290</b>	
CPPBCML1	HPP Platinum Plated Mini ANL fused Battery Clamp - positive. One Mini ANL fused 4 AWG output and one non-fused 4 AWG input.	<b>420</b>	
CPGBC24P	Gold Plated with (2) 4 AWG input / outputs - positive	<b>190</b>	
CPGBC24N	Gold Plated with (2) 4 AWG input / outputs - negative	<b>190</b>	
CPSMB	Gold Plated GM side mount to bolt battery terminal	<b>60</b>	
RP8210	Gold Plated GM side mount to bolt battery terminal - 25 pieces - bulk	<b>1320</b>	53/tk
CPSMBL	Gold Plated GM side mount to bolt battery terminal - long thread	<b>70</b>	

**FUSED DISTRIBUTION BLOCKS**

CPPSFD2	HPP Platinum Plated 2 Position Linkable ANL Fuse Block with (1) 1/0-2/0 AWG input - (2) 2/4 AWG or (2) 1/0-2/0 outputs - positive or negative.	<b>1050</b>
CPPSPB	HPP Platinum Plated Coupler used to link multiple CPPSFD2 fuse blocks together.	<b>240</b>

**ANL**

**ROCKFORD FOSGATE ACCESSORIES 2005.**

CPPFDL2	HPP Platinum Plated 2 Position ANL Fuse Block, (1) 1/0 AWG input (2) 1/0 AWG outputs. Includes (3) 2/4 AWG reducing adaptors for added flexibility.	<b>620</b>
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------	------------

**AGU**

CPPFDU4	HPP Platinum Plated 4 Position AGU Fuse Block, (1) 1/0 AWG and (2) 4 AWG inputs - (4) 4 AWG outputs. Includes (1) 2/4 AWG reducing adaptor for added flexibility.	<b>480</b>
CPPFDU2	HPP Platinum Plated 2 Position AGU Fuse Block, (1) 1/0 AWG input and (2) 4 AWG inputs - (2) 4 AWG outputs. Includes (1) 2/4 AWG reducing adaptor for added flexibility.	<b>430</b>
CPFD2	Gold Plated Standard 2 Position AGU Fuse Block, (3) 4 AWG inputs - (2) 8 AWG outputs.	<b>240</b>

**NON-FUSED DISTRIBUTION BLOCKS**

CPPD2	HPP Platinum Plated Distribution Block, (1) 1/0 AWG input - (2) 1/0 AWG outputs. Includes (3) 4 AWG reducing adaptors for added flexibility.	<b>190</b>
CPPD4	HPP Platinum Plated Distribution Block, (1) 4 AWG input - (4) 8 AWG outputs.	<b>190</b>
CPD1448	Gold Plated Standard Distribution block, (1) 4 AWG input - (4) 8 AWG outputs.	<b>140</b>

**SINGLE FUSE HOLDERS**

CPPSANL1	HPP Platinum Plated Single or Dual ANL Fuse Holder w/ (1) 1/0-2/0 AWG input - (1) 1/0-2/0 AWG output.	<b>720</b>
----------	-------------------------------------------------------------------------------------------------------	------------

**ANL**

CPPFHL1	HPP Platinum Plated ANL Fuse Holder, 1/0 AWG input - 1/0 AWG output.	<b>540</b>
CPPFH4ANL	HPP Platinum Plated ANL Fuse Holder, 4 AWG input - 4 AWG output.	<b>360</b>

**AGU**

CPPFH4	HPP Platinum Plated AGU Fuse Holder, 4/8 AWG input - 4/8 AWG output.	<b>130</b>
CPGFH4	Gold Plated AGU Fuse Holder, 4/8 AWG input - 4/8 AWG output.	<b>100</b>

**RING TERMINALS & SPEAKER CONNECTORS****COMPRESSION STYLE RING AND GROUND TERMINALS**

CPPSRT	HPP Platinum Plated Ring Terminals - 2/0-1/0 AWG - 1 pair - Includes protective covers.	<b>380</b>
CPPSGT	HPP Platinum Plated Flat bottom grounding terminal	<b>240</b>

**SOLID BRASS RING TERMINALS - INCLUDE PROTECTIVE COVERS**

CPPRT1/0	HPP Platinum Plated ring Terminals - 1/0 AWG - 1 pair	<b>240</b>
CPPRT4	HPP Platinum Plated Ring Terminals - 4 AWG - 1 pair	<b>190</b>

**WIRE SIZE REDUCER**

RP8220	Gold Plated 1/0 to 4 AWG Reducing Adapter	<b>100</b>
--------	-------------------------------------------	------------

**SEAMLESS RING TERMINALS**

CPPSRT1/0-1P	HPP Platinum Plated 1/0 AWG Seamless Ring Terminals, one 8.5mm and one 10.5mm hole - 1pair	<b>70</b>
CPPSRT2-1P	HPP Platinum Plated 2 AWG Seamless Ring Terminals, one 8.5mm and one 10.5mm hole - 1pair	<b>50</b>
CPPSRT4-2P	HPP Platinum Plated 4 AWG Seamless Ring Terminals, two 8.5mm and two 10.5mm holes - 2 pair	<b>50</b>
CPPSRT4-25P	HPP Platinum Plated 4 AWG Seamless Ring Terminals, twenty five 8.5mm and twenty five 10.5mm holes, bulk - 25 pair	<b>530</b>
CPPSRT8-2P	HPP Platinum Plated 8 AWG Seamless Ring Terminal, two 8.5mm and two 10.5mm holes - 2 pair	<b>50</b>
CPPSRT8-25P	HPP Platinum Plated 8 AWG Seamless Ring Terminals, twenty five 8.5mm and twenty five 10.5mm holes - 25 pair	<b>410</b>

**BARRIER SPADES**

CPPSBS8-2P	HPP Platinum Plated 8 AWG Seamless Barrier Spades - 2 pair	<b>40</b>
CPPSBS4-2P	HPP Platinum Plated 4 AWG Seamless Barrier Spades - 2 pair	<b>70</b>

**CAPACITORS**

CPCC2	100 Farad Competition Grade Capacitor - 16 Volt	<b>15180</b>
CPCC1	50 Farad Competition Grade Capacitor - 16 Volt	<b>11870</b>
CPCC40	40 Farad Competition Grade Capacitor - 16 Volt	<b>8820</b>
CPCC25	25 Farad Competition Grade Capacitor - 16 Volt	<b>6420</b>
CPCD10-03	1 Farad Digital - 20 volt Surge	<b>2290</b>
CPC10-03	1 Farad - 20 volt Surge	<b>1770</b>
CPC05-03	1/2 Farad - 20 volt Surge	<b>1290</b>

**ROCKFORD FOSGATE ACCESSORIES 2005.****CAPACITOR ACCESSORIES**

RP7452	Gold Plated 4 AWG Quick Connect	130
--------	---------------------------------	-----

**FUSES**

CPP100L	ANL Blade 100 Amp, Platinum - 2 pieces	110
CPP150L	ANL Blade 150 Amp, Platinum - 2 pieces	110
CPP200L	ANL Blade 200 Amp, Platinum - 2 pieces	110
CPP30U	AGU 30 Amp, Platinum - 4 pieces	60
CPP40U	AGU 40 Amp, Platinum - 4 pieces	60
CPP50U	AGU 50 Amp, Platinum - 4 pieces	60
CPP60U	AGU 60 Amp, Platinum - 4 pieces	60
CPP50X	MAXI 50 Amp, Platinum - 2 pieces	70
CPP60X	MAXI 60 Amp, Platinum - 2 pieces	70
CPP80X	MAXI 80 Amp, Platinum - 2 pieces	70
CPP100X	MAXI 100 Amp, Platinum - 2 piece	70

**CIRCUIT BREAKERS**

CPCB100	100 Amp Circuit Breaker	480
CPCB140	140 Amp Circuit Breaker	480
CPCB200	200 Amp Circuit Breaker	480

**SIGNAL CONVERTERS**

CPFM1	FM modulator - 88.3 / 88.7 Mhz	1320
-------	--------------------------------	------

**HI TO LOW CONVERTERS**

CPAULOC	Adjustable Line Output Converter 2-50 watts	240
CPGLI	Ground Loop Isolator with 1.3db gain on the low end no harness required.	180

**DAMPING MATERIAL****DEAD SKIN™****LIQUID**

CPDSAE	18 Ounce Aerosol Can	460
--------	----------------------	-----

**MAT**

CPDS10	10x10 square - 2 pieces of Aluminum Backed Damping Mat	240
CPDS4SQ	4 square foot, clear tube with ends	460

**AEROPORT**

RP9314	3 Port kit - 2 flanges & 1 tube	290
RP9316	4 Port kit - 2 flanges & 1 tube	290

**PROMOTIONAL DISPLAYS & MATERIALS**

CPPOWERHDR	Power slatwall header	1710
CPPUNCHHDR	Punch slatwall header	1710
CPRFSPHLDR	RF Swirl spool holder - 2 spool	2600
SWHOOK6	6" Slatwall hook	30
SWHOOK8	8" Slatwall hook	40