



alfatec

R&P Grupp OÜ Tel: 650 74 74
 Kadaka tee 1 Fax: 650 74 75
 Tallinn, 10621 rpgrupp@online.ee
 www.clarion.ee www.auto.ee/rp

AEROPORTS

No.	Alfatec-Name	Specification	Jae
CL-90R	Aeroport	8 x 17 cm	100
CL-105R	Aeroport	9,5 x 14,5 cm	100

GRILLS

No.	Alfatec-Name	Specification	Jae
GRA 10"	Grill with rubber ring	10 "	100
GRA 12"	Grill with rubber ring	12 "	100
GRB 10"	Grill with metal ring	10"	150
GRB 12"	Grill with metal ring	12"	150

POWERCAPS

Without SMD-protection device:

No.	Alfatec-Name	Specification	Jae
* A11	Maxi-Power-Hammer	1,5F/20V black	3 200

With SMD protection device and digital display:

No.	Alfatec-Name	Specification	Jae
A300	1F/20V metallic silver brushed, with mounting brackets in blister incl. 2x40cm powercable		2 250
A200	Maxi-Power-Hammer	1F/20V blue metallic	2 250
* A20	Maxi-Power-Hammer	1,5F/20V black	3 800
REF900	Power Cap	1F/20V chrome plated	2 750
REF800	Power Cap	2F/20V chrome plated	3 900
BIONIC	Power Cap	6F/20V silver – black	7 800
EMPIRE	Power Conditioner	20F/20V chrome plated	17 700

SMD –protection devices for capacitors

No.	Alfatec-Name	Specification	Jae
B10	SMD protection device	display included	1 370
B12	Display	without protection device with box and 6 metre cable	600

see catalogue page 4+5

Mini Amplifier

No.	Alfatec-Name	Specification	Jae
B60	Mini Amplifier Blue metallic	2 Channel 100 watts, Gold plated RCA connectors Power On LED indication, Output power RMS 20 Watts x 2 Dimension: DxWxH = 102x78x31	470
B50	Mini Amplifier Red metallic	2 Channel 100 watts, Gold plated RCA connectors Power On LED indication, Output power RMS 20 Watts x 2 Dimension: DxWxH = 102x78x31	470

Battery chargers

No.	Alfatec-Name	Specification	Jae
C50	Charging generator LEAB chAmp	ChAmp 12 V / 6 A maximum consumption 100 Watt dim. 110 x 70 x 36 mm weight 580 Gramm	4 185
C51	Charging generator LEAB chAmp	ChAmp 12 V / 15 A maximum consumption 100 Watt dim. 190 x 100 x 46 mm weight 1,5 kg	8 334
C60	Charging generator Calira LG 507-DS/IU	12V/7A dim. 200 x 160 x 90 mm weight 2,6 kg	2 826
C61	Charging generator Calira LG-612-DS/IU can load two batteries at the same time	12V/12A dim. 320 x 210 x 90 mm weight 4,5 kg	5 472
C30	Split charging relay	12 V / 70 A with diods	530
C31	Split charging relay	12 V / 180 A	690

Starter- and supply batteries

Lead/Calcium – expanded metal technology // Starter batteries

No.	Alfatec-Name	Specification	Jae
L55	Exide XXL	55 Ah / dim. 242x175x175	1 896
L65	Exide XXL	65 Ah / dim. 278x175x175	2 182
L95	Exide XXL	95 Ah / dim 353x175x190	3 130

Gel batteries // Additional / Supply batteries

No.	Alfatec-Name	Specification	Jae
C20	Power Sound 1000 Gel	68 Ah / dim. 278x175x190	3 500
C21	Power Sound 1500 Gel	95 Ah / dim. 353x175x190	4 200

High-amperage battery // Orbitaltechnology

No.	Alfatec-Name	Specification	Jae
C25	MAXXIMA 900	50 Ah / dim. 260x173x206	4 400
C26	MAXXIMA 900DC	50 Ah / dim. 260x173x206	4 100

see catalogue page 6-8

All items which are marked with * are articles which are running out and which we are going to take out of the programm as soon as they are sold out.

Mounting Material get professional connected

No.	Alfatec-Name	Specification	Jae
* D10	Connection bar	for 4 Caps	390
* D11	Connection bar	for 4 Caps	125
* D12	Connection bar	for 3 Caps	250
* D13	Connection bar	for 3 Caps	125
* D14	Connection bar	for 4 Caps	260
* D15	Connection bar	for 3 Caps	200
* D16	Connection bar	for 2 Caps	140
D20	Mounting clamb	metal / for upright mounting	110
D21	Mounting clamb black plastic for back side mounting		140
D22	Mounting clamb transparent plastic for back side mounting		140
REF700	Mounting clamb chrome plated plastic clamb for back side mounting		140
D30	Cable tie black 160 x 2,5 mm		36
D31	Cable tie socket color black mount by adhesive or screw 1 polybag with 100 pcs.		250
D32	Cable tie socket color nature mount by adhesive or screw 1 polybag with 100 pcs.		250
D33	15 cable ties and 15 cable tie sockets, black, in one set		55
D40	Lustre terminal pluggable, transparent 12 terminals per line 1,5 - 4,0 mm ² / max. Strom 10 A Material: Polyethylen Insertion: Brass Screws: Iron zinked		55
D41	Lustre terminal 12 pcs per row for 2,5-4,0mm ² black 2 rows with 12 pcs in one package		30
D42	Y-clambs with PVC-isolation, red, cross section 0,5 – 1,5mm ² a fast and sae way to fix a new cable on a allready existing one Contents: 10pcs in one blister package		22
D43	Y-clambs with PVC-isolation, blue, cross section 1,5 – 2,5mm ² a fast and sae way to fix a new cable on a allready existing one Contents: 10pcs in one blister package		30
D44	Y-clambs with PVC-isolation, yellow, cross section 0,5 – 1,5mm ² a fast and sae way to fix a new cable on a allready existing one Contents: 10pcs in one blister package		32
D45	Connectors red for cross-section 0,5mm ² to 1,5mm ²		30
D46	Connectors blue for cross-section 1mm ² to 2,5mm ²		35
D47	Connectors yellow for cross.section 2,5mm ² to 6mm ²		40

Damping material

No.	Alfatec-Name	Jae
D50	Terminator black Damping-spray 500 ml FCKW free	240
D51	Terminator grey Damping spray 500 ml FCKW free	240
D52	6 x damping plates 550x220x2mm, heavy Bitumenplates with high adhesive power	470
D53	Alfablue damping material 1kg Minimizes driving noise, eliminates resonances and suppresses vibrations	470
D54	Alfablue damping material 4kg	1 720
D55	Alfablue damping material 8kg	2 990

No.	Alfatec-Name	Jae
D60	Adhesive spray High adhesive power, short exhaust air time approx. 1 min., fast processing.	285
D61	Silicone spray protects, cares, lubricates, and insulates synthetic-, rubber- and metall materials	150

Cover material for boxes

No.	Alfatec-Name	Specification	Jae
D70	Needle felt, anthracite	Cutting 1400 x 950 mm	150
D71	Needle felt, flannel grey	Cutting 1400 x 950 mm	150
D72	Needle felt, black	Cutting 1400 x 950 mm	150
D75	Acoustic permeable fabric, black	Cutting 1400 x 750 mm	160
D76	Acoustic permeable fabric, blue	Cutting 1400 x 750 mm	200
D80	Alcantara, black	Cutting 1300 x 700 mm	520
D81	Alcantara, grey	Cutting 1300 x 700 mm	520
D82	Alcantara, beige	Cutting 1300 x 700 mm	520
D90	Imitation leather, black	Cutting 1400 x 1000 mm	590
D91	Imitation Leather, grey	Cutting 1400 x 1000 mm	590
D92	Imitation Leather, beige	Cutting 1400 x 1000 mm	590

see catalogue page 9

Battery terminals

No.	Alfatec-Name	Specification	Jae
E10	Battery terminal +	+ Pol	82
E11	Battery terminal -	- Pol	82
E12	Clear Silicone Cover	for Battery Terminator E10 & E11	39
E13	Battery terminal +	20 mm ² x 1 10 mm ² x 2 +	211
E14	Clear Silicone Cover	for Battery Terminator E13	43
E15	Battery terminal +	50 mm ² x 1 30 mm ² x 2 20 mm ² x 2 +	300
E20	Battery terminal -	50 mm ² x 1 30 mm ² x 2 20 mm ² x 2 -	300
E16	Clear Silicone Cover	for Battery Terminator E15 & E20	64
E17	Battery terminal +	30 mm ² x 1 20 mm ² x 1 10 mm ² x 2 +	168
E18	Battery terminal -	30 mm ² x 1 20 mm ² x 1 10 mm ² x 2 -	168
E19	Clear Silicone Cover	for Battery Terminator E17 & E18	43
* E21	Battery terminal +	10 mm ² x 2 20 mm ² x 1 + Pol	125
* E22	Battery terminal -	10 mm ² x 2 20 mm ² x 1 - Pol	125

Flexible battery terminals

No.	Specification	Jae
* E30	35 mm ² x 1 25 mm ² x 1 10 mm ² x 2 + Pol	175
* E31	35 mm ² x 1 25 mm ² x 1 10 mm ² x 2 - Pol	175
* E32	10 mm ² x 2 + Pol	143
* E33	10 mm ² x 2 - Pol	143
* E34	25 mm ² x 2 + Pol	143
* E35	25 mm ² x 2 + Pol	143

Power fuse holders

No.	Specification	Jae
F10	10 or 20 mm ² packed in blister	70
F101	10 or 20 mm ² bulk package	60
F20	Fuse holder with mounting plate with super bright LED, In blister package. Attention please always put the fuse in arrow Direction inside the fuse holder	100
*F12	20 mm ²	125
*F13	10 mm ²	100
F14	6 mm ² with 30A ATC-fuse	43
*F15	ATC fuse holder till 6 mm ² / gold plated	57
F21	In line fuse holder 50 mm ² waterproof	308

see catalogue page 13+14

Cosmic Blue Series

No.	Specification	Jae
CB10	Fuse holder for 10 or 20 mm ² Transparent blue packed in blister package	70
CB101	Fuse holder for 10 or 20 mm ² Transparent blue bulk package	60

see catalogue page 14

Power fuse distribution blocks

No.	Specification	Jae
*F30	10 mm ² x 4 in 10 mm ² x 4 out	250
F31	20 mm ² x 3 in 10 mm ² x 4 out	290
F32	20 mm ² x 1 in 10 mm ² x 2 out	190
*F33	50 mm ² x 1 in 50 mm ² x 1 out	139
F34	20 mm ² x 1 in 10 mm ² x 3 out	250
F35	35 mm ² x 1 / 20 mm ² x 2 in 10 mm ² x 4 out	347
F36	50 mm ² x 1 in 20 mm ² x 2 out Two position ANL digital bridgeable fuse block with integrated voltmeter (green) and super bright LED`s	710
F37	20 mm ² x 2 in 10 mm ² x 4 out Four position AGU digital fuse distribution block with integrated voltmeter (green) and super bright LED`s	710

see catalogue page 14+15

All items which are marked with * are articles which are running out and which we are going to take out of the programm as soon as they are sold out.

FUSES

No.	Specification	Jae
F40	Glas fuses 5/10/15/20/30/40/50/60/80 Ampere Blister packed	20
F430	30A glas fuses 50pcs in a white box	750
F440	40A glas fuses 50pcs in a white box	750
F450	50A glas fuses 50pcs in a white box	750
F460	60A glas fuses 50pcs in a white box	750
F43	Mini blade fuses 3/5/7,5/10/15/20 Ampere Blister packed	15
F50	ANL 80/100/150/200 Ampere	90
F60	For current untill 140 A with reset button	400

see catalogue page 14+15

Power distribution blocks

No.	Specification	Jae
G10	20 mm ² x 2 in 10 mm ² x 8 out	240
G11	20 mm ² x 1 in 10 mm ² x 4 out	120
G12	50 mm ² x 2 in 20 mm ² x 4 out	280
G13	20 mm ² x 2 in 10 mm ² x 4 out	260
G21	10 mm ² x 3 out 20 mm ² x 2 out for direct mounting on a capacitor with and without protection device	400
G30	2x50mm ² in & 3x25mm ² + 3x10mm ² out	260

Ringterminals & Power cable connectors

No.	Alfatec-Name	Specification	Jae
H10	Ringterminal	gold plated 10 mm ²	40
H11	Ringterminal	gold plated 50 mm ²	85
H12	Ringterminal	gold plated 20 mm ²	80
H13	ground connector	gold plated 10 mm ² / „L“-Type	45
H14	ground connector	gold plated 50 mm ² / „L“-Type	65
H15	ground connector	gold plated 20 mm ² / „L“-Type	55
H20	Power cable connector	gold plated 10 mm ²	50
H21	Power cable connector	gold plated 50 mm ²	65
H22	Power cable connector	gold plated 20 mm ²	35

see catalogue page 17

Cord end terminals gold plated

No.	Alfatec-Name	Jae
H30	Suits for a cable cross section upto 16GA, 50 pcs in polybag	100
H31	Suits for a cable cross section upto 14GA, 50 pcs in polybag	100
H32	Suits for a cable cross section upto 12GA, 50 pcs in polybag	100
H33	Suits for a cable cross section upto 10GA, 50 pcs in polybag	150
H34	Suits for a cable cross section upto 8GA, 50 pcs in polybag	200
H35	Suits for a cable cross section upto 4GA, 20 pcs in polybag	120
H36	Suits for a cable cross section upto 2GA, 20 pcs in polybag	160
H37	Suits for a cable cross section upto 0GA, 20 pcs in polybag	240

see catalogue page 17

COILS / FILTER / CROSSOVER

No.	Alfatec-Name	Specification	Jae
I10	High Low Adapter	0 bis 200 mV adjustable	195
I20	Subwoofer elec. Crossover	crossover frequency: 50 / 75 / 100 Hz slope / rate 12 dB/octave	272
I30	Ground loop isolater	frequency response 20 Hz till 20 kHz	160
* I31	Engine noise suppressor	for power cable permanent current 40 A	640
I34	BMW noise suppressor capacitor	Especially for BMW	683

see catalogue page 18+19

Dividing filters

No.	LOW PASS FILTER	Jae
LP50	Low Pass 50 Hz	200
LP70	Low Pass 70 Hz	200
LP100	Low Pass 100 Hz	200
LP150	Low Pass 150 Hz	200
LP250	Low Pass 250 Hz	200
* LP2500	Low Pass 2500 Hz	200
* LP3500	Low Pass 3500 Hz	200

No.	HIGH PASS FILTER	Jae
HP30	High Pass 30 Hz	200
HP70	High Pass 70 Hz	200
HP100	High Pass 100 Hz	200
HP150	High Pass 150 Hz	200
*HP2500	High Pass 2500 Hz	200
*HP3500	High Pass 3500 Hz	200
* HP6500	High Pass 6500 Hz	200

No.	Specification	Jae
BP	Band Pass 50 Hz to 270 Hz Kickbass range	200

see catalogue page 18

All items which are marked with * are articles which are running out and which we are going to take out of the programm as soon as they are sold out.

Power Lights for Emotions – Visual Tuning

No.	Specification	Jae
NL30B	Neon light stick with cigarette plug , length 30cm colour blue	350
NL30R	Neon light stick with cigarette plug , length 30cm colour red	350
NL30BS	Neon light stick w/o cig. plug , with sound control, length 26,4cm blue	450
NL50B	Neon light stick with cigarette plug , lenthg 50cm colour blue	450
NL50R	Neon light stick with cigarette plug , lenthg 50cm colour red	450
NL50BS	Neon light stick w/o cig. plug . with sound control, length 46,4cm blue	500
NR12B	Neon light ring with cigarette plug , cross section 30cm colour blue	850
NR12R	Neon light ring with cigarette plug , cross section 30cm colour red	850
NL19M	Neon light stick with cigarette plug, length 19cm Magic colour effect (3 colours mixed)	650
NL36B	Neon light stick w/o cig. plug, with sound control, length 36,4 cm Crystal effect colour: blue	700
NL37G	Neon light stick w/o cig plug, with sound control, length 37,5cm colour: green	500
NL54S	Neon light stick with cigarette plug , length 54cm colour: black light	500
NL34M	Neon light stick with cigarette plug, length 34,5 cm Colour: 3-colour-magic-node-effect	650

see catalogue page 20-22

Flexible illumination tubes

No.	Specification	Jae
FL39B	Flexible illumination tubes with cigarette plug, length 39cm colour: blue content: 2 pcs.	500
FL39BR	Flexible illumination tubes with cigarette plug, length 39cm colour: blue-red gradation content: 2 pcs.	500

Power LED's

No.	Specification	Jae
B20	Power LED's, colour: blue 2200 mcd; set includes 10 pcs. LED's and 10 pcs. 640 Ohm resistance	500
B21	Power LED's, colour: white 3000 mcd; set includes 10 pcs. LED's and 10 pcs. 640 Ohm resistance	500
B22	Power LED's, colour: red 10000 mcd; set includes 10 pcs. LED's and 10 pcs. 640 Ohm resistance	500
B30	Chrome Pin Light Bolt incl. resistance an 70 cm cable, colour: blue	150
B40	LED Power Spot, super bright LED, with cigarette plug, colour: blue	150
B41	LED Power Radiator, super bright LED, with cigarette plug, colour blue	150
B45	Water spray nozzle, with chrome plated plastic, colour: blue	200
B46	Water spray nozzle, with chrome plated plastic, colour: red	200
B70	Red LED circular flashing bar – "Knight Rider" effect	250

Mini Neon Light Sticks, incl. Control Unit

No.	Alfatec-Name	Specification	Jae
MNL10B	Mini neon light stick	Length 8,3 cm, Ø 1,4 cm; colour: blue	350
MNL10R	Mini neon light stick	Length 8,3 cm, Ø 1,4 cm; colour: red	350
MNL10G	Mini neon light stick	Length 8,3 cm, Ø 1,4 cm; colour: green	350
MNL10W	Mini neon light stick	Length 8,3 cm, Ø 1,4 cm; colour: white	350
MNL30B	Mini neon light stick	Length 28,0 cm, Ø 1,4 cm; colour: blue	375
MNL30R	Mini neon light stick	Length 28,0 cm, Ø 1,4 cm; colour: red	375
MNL30G	Mini neon light stick	Length 28,0 cm, Ø 1,4 cm; colour: green	375
MNL30W	Mini neon light stick	Length 28,0 cm, Ø 1,4 cm; colour: white	375

Strobe Light

No.	Specification	Jae
ST1	Strobe light, incl. coloured covers in red, blue, green	250
ST2	Mini Strobe light , chrome plated plastic housing in blue tube, with cigarette plug, length: 5,30 cm	270

Luminated Pedal Set, incl. Control

No.	Specification	Jae
NP	Blue illuminated pedal set for vehicles (accelerator, brake, clutch pedal), only for 12V operating,	690

Flexible Neon Cable

No.	Alfatec-Name	Specification	Jae
NK15B	Neon cable	Length 150 cm; Ø 3,2 mm; colour: blue	400
NK15R	Neon cable	Length 150 cm; Ø 3,2 mm; colour: red	400
NK15G	Neon cable	Length 150 cm; Ø 3,2 mm; colour: green	400
NK15O	Neon cable	Length 150 cm; Ø 3,2 mm; colour: orange	400

No.	Alfatec-Name	Specification	Jae
NK30B	Neon cable	Length 300 cm; Ø 3,2 mm; colour: blue	750
NK30R	Neon cable	Length 300 cm; Ø 3,2 mm; colour: red	750
NK30G	Neon cable	Length 300 cm; Ø 3,2 mm; colour: green	750
NK30O	Neon cable	Length 300 cm; Ø 3,2 mm; colour: orange	750

No.	Alfatec-Name	Specification	Jae
NK50B	Neon cable	Length 500 cm; Ø 3,2 mm; colour: blue	1 375
NK50R	Neon cable	Length 500 cm; Ø 3,2 mm; colour: red	1 375
NK50G	Neon cable	Length 500 cm; Ø 3,2 mm; colour: green	1 375
NK50O	Neon cable	Length 500 cm; Ø 3,2 mm; colour: orange	1 375

Replacement control units for neon cable

No.	Specification	Jae
CU15	For cable length: 150 + 300 cm, without sound control	80
CU50	For cable length: 500 cm, without sound control	130
SCU15	For cable length: 150 + 300 cm, with sound control	130
SCU50	For cable length: 500 cm, with sound control	225
SCU12	Control unit with sound Control for neon light rings (NR12B+NR12R)	170

Neon under car kit, incl. installation material

No.	Specification	Jae
NUB4B	Neon under car kit consists of: 2x32" tubes+ 2x40" tubes; colour: blue	2 300
NUB4W	Neon under car kit consists of: 2x32" tubes+ 2x40" tubes; colour: white	2 300
NUB4G	Neon under car kit consists of: 2x32" tubes + 2 40" tubes; colour: green	2 300
NUB4R	Neon under car kit consists of: 2x32" tubes + 2 40" tubes; colour: red	2 300

Replacement light for under car kit

No.	Alfatec-Name	Specification	Jae
NUB08B	Replacement light for under car kit	Length: 0,8m; colour: blue	600
NUB1B	Replacement light for under car kit	Length: 1,0m; colour: blue	650
NUB08W	Replacement light for under car kit	Length: 0,8m; colour: white	600
NUB1W	Replacement light for under car kit	Length: 1,0m; colour: white	650
NUB08G	Replacement light for under car kit	Length: 0,8m; colour: green	600
NUB1G	Replacement light for under car kit	Length: 1,0m; colour: green	650
NUB08R	Replacement light for under car kit	Length: 0,8m; colour: red	600
NUB1R	Replacement light for under car kit	Length: 1,0m; colour: red	650
T-Shirt	Black T-Shirt with silver character at the frontside and with a picture of an illuminated vehicle at		250
S1	alfatec LED-Pen – with this it's impossible not to attract attention		500

s. Katalogseite 25+49

POWER CABLE - wiring 0,12 mm OFC

Power Cable 6mm²

No.	Type	Specification	Jae m
K10	6,0 mm ²	red transparent	17
K11	6,0 mm ²	black transparent	17

Power Cable 10mm²

No.	Type	Specification	Jae m
K20	10 mm ²	red transparent	29
K21	10 mm ²	black transparent	29
K22	10mm ²	silver transparent	29
K23	10 mm ²	blue transparent	29

Power Cable 20mm²

No.	Type	Specification	Jae m
K30	20 mm ²	red transparent	50
K31	20 mm ²	black transparent	50
K32	20 mm ²	silver transparent	50
K33	20 mm ²	blue transparent	50

Power Cable 35mm²

No.	Type	Specification	Jae m
K40	35 mm ²	red transparent	100
K41	35 mm ²	black transparent	100
K42	35 mm ²	silver transparent	100
K43	35 mm ²	blue transparent	100

Power Cable 50mm²

No.	Type	Specification	Jae m
K50	50 mm ²	red transparent	175
K51	50 mm ²	black transparent	175
K52	50 mm ²	silver transparent	175
K53	50 mm ²	blue transparent	175

SPEAKER CABLE - ECONOMY-LINE - wiring 0,15 mm OFC

No.	Type	Specification	Jae
			m
L10	2 x 0,75 mm ²	transparent	4
L11	2 x 0,75 mm ²	black	4
L12	2 x 0,75 mm ²	white	4
L20	2 x 1,5 mm ²	transparent	8
L30	2 x 2,5 mm ²	transparent	12
L40	2 x 4,0 mm ²	transparent	22

see catalogue page 20+21

SPEAKER CABLE - High End Line - wiring 0,10 OFC

No.	Type	Specification	Jae
			m
L50	2 x 1,5 mm ²	transparent	11
L51	2 x 2,5 mm ²	transparent	17
L52	2 x 4,0 mm ²	transparent	27
L53	2 x 6,0 mm ²	transparent	44
L60	2 x 1,5 mm ²	blue transparent	11
L61	2 x 2,5 mm ²	blue transparent	18
L62	2 x 4,0 mm ²	blue transparent	29
L70	2 x 1,5 mm ²	red transparent	11
L71	2 x 2,5 mm ²	red transparent	18
L72	2 x 4,0 mm	red transparent	29
L80	2 x 1,5 mm ²	transparent-silvered	20
L81	2 x 2,5 mm ²	transparent-silvered	33
L82	2 x 4,0 mm ²	transparent-silvered	50
L85	2 x 1,5 mm ²	white	11
L86	2 x 1,5 mm ²	black	11
L87	2 x 2,5 mm ²	white	18
L88	2 x 2,5 mm ²	black	18
L84	2 x 4,0 mm ²	black	29
L83	2 x 4,0 mm ²	white	29

Special cables

No.	Specification	Jae
		m
L90	4 x 1,5 mm ² , transparent; 0,07 OFC	32
LRS15	2 x 1,5 mm ² , black Shielded twisted cable	46
L99	1 x 1,0mm ² , remote cable, blue	4
L65	2 x 1,5 mm ² , twisted speaker cable 0,12 OFC, transparent blue-silver	18
L66	2 x 2,5 mm ² , twisted speaker cable 0,12 OFC, transparent blue-silver	25
L67	2 x 4,0 mm ² , twisted speaker cable 0,12 OFC, transparent blue-silver	37

10M Speaker cable ring

No.	Alfatec-Name	Specification	Jae
LR210	Speaker cable ring	2 x 1,5mm ² wiring 0,2mm E-CU	80
LR310	Speaker cable ring	2 x 2,5mm ² wiring 0,2mm E-CU	120

Mini cable spools packed in blister 90x86

No.	Alfatec-Name	Specification	Jae
L94	2 x 1,5 mm ² 0,15 OFC	Silver / Copper 11,0m	120
L95	2 x 2,5 mm ² 0,15 OFC	Silver / Copper 8,5m	140

Flatline cable

No.	Type	Specification	Jae
			m
* L910	2 x 1,5 mm ²	smokey	18
* L911	2 x 2,5 mm ²	smokey	29
* L912	2 x 4,0 mm ²	smokey	41
* L92	2 x 2,5 mm ²	transparent / silver	29
* L930	2 x 1,5 mm ²	transparent	18
* L931	2 x 2,5 mm ²	transparent	29
* L932	2 x 4,0 mm ²	transparent	41

see catalogue page 30

RCA CABLE, double shielded with central remote

dark blue

No.	Specification	Jae
M10	0,5 metres	65
M20	1,0 metres	80
M30	2,0 metres	110
M50	3,0 metres	120
M60	4,0 metres	130
M70	5,0 metres	140
M80	6,0 metres	150

Y-ADAPTER, dark blue

No.	Alfatec-Name	Specification	Jae
			paar
N10	Y-cable	2 Female / 1 Male	70
N20	Y-cable	2 Male / 1 Female	70

blue, without package 30pcs in a box

No.	Specification	Jae
		tk
M77	5,0 metres	95

bordeaux red, 2 rectangular plugs to 4 RCA plugs

No.	Specification	Jae
		tk
M75	5,0 metres	170

black, 2 rectangular plugs to 2 RCA plugs

No.	Specification	Jae
		tk
M76	5,0 metres	140

RCA-cables on 50 Meter rolls

No.	Alfatec-Name	Specification	Jae
			m
* M700	RCA-cable blue 50m roll	double shielded	20
* M711	RCA-cable bordeaux 50m roll	triple shielded	30

Cosmic Blue Line, blue transparent

No.	Length	Jae
	Twisted RCA cable	tk
CBM10	Double shielded 1 m	90
CBM30	Double shielded 3 m	130
CBM50	Double shielded 5 m	140
CBM54	Double shielded 5 m 4 RCA to 4 RCA	220

Y-Adapter, blau transparent

No.	Spezification	Jae
	Twisted Cable	paar
CBN10	2 Female / 1 Male	70
CBN20	2 Male / 1 Female	70

Twisted RCA cable, red-black transparent

No.	length	Jae
		tk
M100	1 m, with remote and black chrome plated metall plugs	180
M300	3 m, with remote and black chrome plated metall plugs	220
M500	5 m, with remote and black chrome plated metall plugs	240

Y-Adapter, red-black transparent

No.	Spezification	Jae
	Twisted Cable	paar
N100	2 Female / 1 Male	150
N200	2 Male / 1 Female	150

see catalogue page 33

RCA-CABLE, single shielded with central remote

Yellow, packed in polybag

No.	Specification	Jae
	single shielded	tk
*M92	3,0 metres	80
*M90	5,0 metres	90

Y-ADAPTER, yellow

No.	Specification	Jae
	single shielded	paar
*N91	1 Male / 2 Female	70

„REFERENZ-SERIES“, with central remote and metal plugs, grey

No.	Specification	Jae
	Tripple shielded	tk
RSM05	0,5 metres	300
RSM10	1,0 metres	330
RSM20	2,0 metres	350
RSM50	5,0 metres	450

Y-ADAPTER, triple shielded

No.	Specification	Jae
		paar
RSN10	2 Female / 1 Male	420
RSN20	2 Male / 1 Female	420

see catalogue page 31

All items which are marked with * are articles which are running out and which we are going to take out of the programm as soon as they are sold out.

Home Entertainment

Kairo Style (Ø 4mm, black)

Optical Fiber Cable

No.	<u>Length / Specification</u>	Jae
	Toslink plug to toslink plug, Loss of cable transmission is below 0,2dB/m Transmission frequency bandwidth 10 MHz, Working wavelength 650nm	
O50	1 m	175
O53	2 m	210
O51	3 m	270
O52	5 m	260

Atlantik Style (Ø 6mm , dark blue)

Optical Fiber Cable with screwable metal plugs

No.	<u>Length / Specification</u>	Jae
	Toslink plug to toslink plug, Loss of cable transmission is below 0,2dB/m Transmission frequency bandwidth 10 MHz, Working wavelength 650nm	
O60	1 m	380
O63	2 m	470
O61	3 m	550
O62	5 m	730

Optical plug adapter

No.	Specification	Jae
		paar
O80	From Toslink to Mini adapter	85
O81	From Mini to Toslink adapter	85

New York Style (in blue yellow design with plastic plugs)

No.	Specification	Jae
Y20	Scart to scart plug Ø 9mm 2m	33
Y21	Scart to scart plug to 2 RCA plugs Ø 9mm + Ø 2,8/2,8mm 2m	460
Y22	Scart to scart plug to 4 RCA plugs Ø 9mm + Ø 2,8/2,8/2,8/2,8mm 2m	680
Y23	Scart plug to 2 RCA plugs Ø 3 mm / 3 mm 2m	220
Y24	Scart plug to 3 RCA plugs Ø 3 mm / 3 mm / 3 mm 2m	280
Y25	Scart plug to 4 RCA plugs Ø 3 mm / 3 mm / 3 mm / 3mm 2m	340
Y90	Adapter plug from scart plug to 3 RCA + S-VHS plug	180
VHS20	Super-VHS to Super-VHS plug 2m	85

Dubai Style (high end series in mocca colour with metal plugs)

No.	Specification	Jae
DS20	Scart to scart plug Ø 9mm 2m	450
DS21	Scart to scart plug to 2 RCA plugs Ø 9mm + Ø 2,8/2,8mm 2m	610
DS22	Scart to scart plug to 4 RCA plugs Ø 9mm + Ø 2,8/2,8/2,8/2,8mm 2m	870
DS23	Scart plug to 2 RCA plugs Ø 3 mm / 3 mm 2m	330
DS24	Scart plug to 3 RCA plugs Ø 3 mm / 3 mm / 3 mm 2m	380
DS25	Scart plug to 4 RCA plugs Ø 3 mm / 3 mm / 3 mm / 3mm 2m	450
DS90	Adapter plug from scart plug to 3 RCA + S-VHS plug	270
DHS20	Super-VHS to Super-VHS plug 2m	210

see catalogue page 34+35

CRIMP TYPE SOCKETS

No.	Specification	Jae
P22	10 mm ² / Ø 4,2 mm Colour: red 50pcs in polybag	220
P23	10 mm ² / Ø 4,2 mm Colour: black 50pcs in polybag	220
P201	10 mm ² / Ø 4,2 mm 2 red / 2 black in blister	35
P205	10 mm ² / Ø 6,4 mm Colour: red 50pcs in polybag	220
P206	10 mm ² / Ø 6,4 mm Colour: black 50pcs in polybag	220
P204	10 mm ² / Ø 6,4 mm 2 red / 2 black in blister	35
P20	10 mm ² / Ø 8,4 mm Colour: red 50pcs in polybag	220
P21	10 mm ² / Ø 8,4 mm Colour: black 50pcs in polybag	220
P207	10 mm ² / Ø 8,4 mm 2 red / 2 black in blister	35
P220	10 mm ² / Ø 13 mm Colour: black 20pcs in polybag	275
P200	10 mm ² / Ø 13 mm 2 black in blister	25
P102	20 mm ² / Ø 4,2 mm Colour: red 50pcs in polybag	400
P103	20 mm ² / Ø 4,2 mm Colour: black 50pcs in polybag	400
P101	20 mm ² / Ø 4,2 mm 1 red / 1 black in blister	35
P105	20 mm ² / Ø 6,4 mm Colour: red 50pcs in polybag	400
P106	20 mm ² / Ø 6,4 mm Colour: black 50 pcs in polybag	400
P104	20 mm ² / Ø 6,4 mm 1 red / 1 black in blister	30
P10	20 mm ² / Ø 8,4 mm Colour: red 50pcs in polybag	400
P11	20 mm ² / Ø 8,4 mm Colour: black 50pcs in polybag	400
P107	20 mm ² / Ø 8,4 mm 1 red / 1 black in blister	25
P320	20 mm ² / Ø 13 mm Colour: black 20pcs in polybag	340
P300	20 mm ² / Ø 13mm 2 black in blister	40
P209	35 mm ² / Ø 8,4 mm Colour: red 20pcs in polybag	250
P210	35 mm ² / Ø 8,4 mm Colour: black 20pcs in polybag	250
P208	35 mm ² / Ø 8,4 mm 2 red / 2 black in blister	65
P211	50 mm ² / Ø 8,4 mm 2 red / 2 black in blister	70
P213	50 mm ² / Ø 13 mm 2 red / 2 black in blister	85

see catalogue page 36

ROUND CONNECTORS & ROUND RECEPTACLES, gold plated

No.	Alfatec-Name	Specification	Jae
P50	8 conn. / 8 receptacles	1,5 mm ² red Æ 4 mm	50
P51	Round connector	1,5 mm ² red Æ 4 mm 100pcs in polybag	180
P52	Round receptacles	1,5 mm ² red Æ 4 mm 100pcs in polybag	160
P53	8 conn. / 8 receptacles	2,5 mm ² blue Æ 4 mm	50
P54	Round connector	2,5 mm ² blue Æ 4 mm 100pcs in polybag	180
P55	Round receptacles	2,5 mm ² blue Æ 4 mm 100pcs in polybag	160

see catalogue page 37

FLAT RECEPTACLES, gold plated

No.	Alfatec-Name	Specification	Jae
P401	red 1,5 mm ²	wide 2,8 mm 100pcs in polybag	200
P402	red 1,5 mm ²	wide 4,8 mm 100pcs in polybag	200
P403	red 1,5 mm ²	wide 6,3 mm 100pcs in polybag	200
P40	red 1,5 mm ²	wide 2,8/4,8/6,3 4/4/8 pcs in blister	50
P405	blue 2,5 mm ²	wide 2,8 mm 100pcs in polybag	200
P406	blue 2,5 mm ²	wide 4,8 mm 100pcs in polybag	200
P407	blue 2,5 mm ²	wide 6,3 mm 100pcs in polybag	200
P404	blue 2,5 mm ²	wide 2,8/4,8/6,3 4/4/8 pcs. in blister	50
P409	yellow 6 mm ²	wide 2,8 mm 100pcs in polybag	200
P410	yellow 6 mm ²	wide 4,8 mm 100pcs in polybag	200
P411	yellow 6 mm ²	wide 6,3 mm 100pcs in polybag	200
P408	yellow 6 mm ²	wide 2,8/4,8/6,3 4/4/8 pcs. in blister	50

FLAT RECEPTACLES, standard

No.	Alfatec-Name	Specification	Jae
P421	red 1,5 mm ²	wide 2,8 mm 100pcs in polybag	170
P422	red 1,5 mm ²	wide 4,8 mm 100pcs in polybag	170
P423	red 1,5 mm ²	wide 6,3 mm 100pcs in polybag	170
P42	red 1,5 mm ²	wide 2,8/4,8/6,3 mm 4/4/8 pcs inblister	40
P431	blue 2,5 mm ²	wide 4,8 mm 100pcs in polybag	170
P432	blue 2,5 mm ²	wide 6,3 mm 100pcs in polybag	170
P43	blue 2,5 mm ²	wide 4,8/6,3 mm 4/8 pcs. in blister	35
P441	yellow 6 mm ²	wide 2,8 mm 100pcs in polybag	170
P442	yellow 6 mm ²	wide 4,8 mm 100pcs in polybag	170
P44	yellow 6 mm ²	wide 2,8/4,8 mm 4/4 pcs. in blister	60

CRIMP TYPE SOCKETS SPADE TERMINALS

No.	Alfatec-Name	Specification	Jae
P24	Red	10 mm ² / distance 4,2 mm 50pcs in polybag	170
P25	black	10 mm ² / distance 4,2 mm 50pcs in polybag	170
P245	1 red/1 black in blister	10 mm ² / distance 4,2mm	30
P26	red	20 mm ² / distance 4,8 mm 50pcs in polybag	400
P27	black	20 mm ² / distance 4,8 mm 50pcs in polybag	400
P28	red	20 mm ² / distance 6,4 mm 50pcs in polybag	500
P29	black	20 mm ² / distance 6,4 mm 50pcs in polybag	500
P267	1 red/1 black in blister	20 mm ² / distance 4,8 mm	30
P30	red	3,5 mm ² / distance 3,7 mm 50pcs in polybag	150
P31	black	3,5 mm ² / distance 3,7 mm 50pcs in polybag	150
P242	red	1,5/2,5 mm ² /distance 4,2 mm 50pcs in polyb	150
P243	black	1,5/2,5 mm ² /distance 4,2 mm 50pcs in polyb	150
P241	4 red/4 black in blister	1,5/2,5 mm ² /distance 4,2 mm	35
P36	red	4/6 mm ² / distance 4,2 mm 50pcs in polybag	170
P37	black	4/6 mm ² / distance 4,2 mm 50pcs in polybag	170
P35	4 red/4 black in blister	4/6 mm ² / distance 4,2 mm	65
P38	1 red/1 black in blister	35 mm ² / distance 4,2 mm	50
P39	1 red/1 black in blister	50 mm ² / distance 4,2 mm	50

MINI SPEAKER PLUGS, DIN till 1,5 mm².

No.	Specification	Jae
Q30	2 red / 2 black nickel-plated in blister	25
Q40	2 red / 2 black gold-plated in blister	40
Q31	25 red / 25 black nickel plated in polybag	200
Q41	25 red / 25 black gold plated in polybag	350

see catalogue page 38

SPEAKER TERMINALS, gold plated

No.	Specification	Jae
R10	2-pols, round Ø 72 mm	50
R11	2-pols, square	50
R12	4-pols, square	110

see catalogue page 40

RCA-CONNECTOR, gold plated

No.	Alfatec-Name	Specification	Jae
S10	Cinchadapter right angeled gilded	Cinch adapter with plastic red / small 2 pcs.	40
S11	Cinchadapter right angeled gilded	Cinch adapter with plastic black / big 2 pcs.	40
S12	Cinchadapter Set	complete gilded, right angeled 1 pc. big / 1 pcs. small	110
S15	Y-Adapter plug	2 F / 1 M gold plated / „F“-Type 2pcs	190
S16	Y-Adapter plug	2 F / 1 M gold plated / „T“-Type 2pcs	140
T10	Cinchconnector	Cinch-Cinch-Connector 2 pcs.	40
T11	Cinchconnector	Cinch Coupling 2 pcs.	35
T12	Cinchconnector	complete gilded Cinch-Cinch-Connector 2 pcs.	50
T13	Cinchconnector	complete gilded Cinch-Coupling 2 pcs.	40
T20	Cinch plug	anthrazit gilded 2 pcs.	120
T21	Cinch plug	gold plated 2 pcs.	65
T25	Soundboardconnector	4-pins	140
T50	Banana plug	complete gilded, 2 pcs	70
T51	Double banana plug	gold plated, black, 1 pcs.	80
T60	4-Way Neutrik connector	1 male + female incl. 4 flat receptacles for rear shelf and subwoofer boxes	200

see catalogue page 39

WIRING KITS

No.	Specification	Jae
V11 6 mm²	<u>consists of:</u> 1 M Power cable black 6 mm ² 5 M Power cable red 6 mm ² ATC-Fuse holder 30A ATC fuse 5 M RCA cable single shielded with central remote, Cable terminals	300
V10 10 mm²	<u>consists of:</u> 1 M Power cable black 10 mm ² 5 M Power cable red 10 mm ² Fuse holder F10 40A fuse 5 M RCA cable, double shielded with central remote Cable terminals 10 M Speaker cable 2 x 1,5 mm ²	450
V101 10 mm²	<u>consists of:</u> 1 M Power cable blue 10mm ² with mounted cable terminals 5 M Power cable silver 10mm ² with mounted ring terminals and fuse holder CB10 incl. 60A glas 5 M Twisted RCA cable CBM50 double shielded with remote + cable ties and cable terminals	400
V14 10 mm²	<u>4-chanel amplifier kit</u> <u>consists of:</u> 1 M Power cable black 10 mm ² 5 M Power cable red 10 mm ² Fuse holder F10 with 40A glas fuse 5 M RCA cable double shielded with 4 RCA plugs to 4 RCA plugs Ring terminals red & black 10 M + 5 M speaker cable 2 x 1,5 mm ²	650
V19 10 mm²	<u>consists of:</u> 1 M shielded ground cable transparent silver 10 mm ² 5 M shielded power cable transparent blue 10 mm ² with mounted fuse holder including 60A fuse and ring terminals 5 M remote turn on cable transparent silver 5 M RCA interconnect cable in transparent blue with plastic connectors 2 pcs. 10 mm ² spade terminals 1 pc. remote turn on cable spade terminal 1 pc. female connector 1 pc. 10 mm ² grammet 2 pcs. remote cable butt connector 4 pcs. speaker spade terminals 12 pcs. cable ties 2 M 10 mm ² split loom tubing	500

WIRING KITS

No.	Specification	Jae
V12 20 mm²	<p><u>consists of:</u></p> <ul style="list-style-type: none"> 1 M Power cable black 20 mm² 5 M Power cable red 20 mm² Fuse holder F10 60A fuse 5 M RCA cable double shielded with central remote M70 Cable terminals 	600
V20 20 mm²	<p><u>consists of:</u></p> <ul style="list-style-type: none"> 1 M shielded ground cable transparent silver 20 mm² 5 M shielded power cable transparent blue 20 mm² with mounted fuse holder including 60A fuse and ring terminals 5 M remote turn on cable transparent silver 5 M RCA interconnect cable in transparent blue with plastic connectors 2 pcs. 20 mm² spade terminals 1 pc. remote turn on cable spade terminal 1 pc. female connector 1 pc. 20 mm² grammet 2 pcs. remote cable butt connector 4 pcs. speaker spade terminals 12 pcs. cable ties 2 M 20 mm² split loom tubing 	700

[see catalogue page 41](#)

Amplifier Mounting Kit`s

No.	Specification	Jae
PS10 10mm²	<p><u>consists of:</u></p> <ul style="list-style-type: none"> 2 x battery connector 10mm² red/black \varnothing 8,4mm 2 x for power supply 10mm² red/black distance: 4,2mm 5 x forked fittings red speaker +remote distance: 4,2mm 4 x forked fittings black speaker distance: 4,2mm 	70
PS20 20mm²	<p><u>consists of:</u></p> <ul style="list-style-type: none"> 2 x battery connector 20mm² red/black \varnothing 8,4mm 2 x for power supply 20mm² red/black distance: 4,2mm 5 x forked fittings red speaker + remote distance: 4,2mm 4 x forked fittings black speaker distance: 4,2mm 	85

[see catalogue page 38](#)

REFERENCE-SERIES/CHROME -LINE

FUSE HOLDER - CHROME PLATED

No.	Alfatec-Name	Specification	Jae
REF 100	Fuse Holder	10 till 20 mm ²	110
REF 210	In-line fuse holder	50 mm ² waterproof	333

POWER FUSE DISTRIBUTION BLOCKS

No.	Specification	Jae
REF 310	20 mm ² x 3 in 10 mm ² x 4 out for glas fuses	304
REF 320	20 mm ² x 1 in 10 mm ² x 2 out for glas fuses	186
REF360	35 mm ² x 1 in 20 mm ² x 2 in 10 mm ² x 4 out for glas fuses	347
REF 311	20 mm ² x 3 in 10 mm ² x 4 out for ATC-fuses	304
REF 321	20 mm ² x 1 in 10 mm ² x 2 out for ATC fuses	207
REF 330	10 mm ² x 1 in 10 mm ² x 1 out for ATC fuses	107
REF 340	20 mm ² x 1 in 10 mm ² x 2 out for Maxi fuses	218
REF 350	20 mm ² x 3 in 10 mm ² x 4 out for Maxi fuses	322

ATC - FUSES

No.	Alfatec-Name	Specification	Jae
F44	ATC – fuses	7,5/10/15/20/30 Ampere bulk	20
F45	ATC - Set of fuses	4 fuses each of 5/7,5/10/15/20/30 Ampere	150
F46	ATC - fuse	40 Ampere / 2 pcs	25

MAXI - FUSES

No.	Alfatec-Name	Specification	Jae
F47	MAXI - fuses	40/50/60/80 Ampere 2pcs	50

GLAS FUSES + IN-LINE FUSES

No.	Specification	Jae
REF 400	glas fuses	30/40/50/60/80 Ampere in blister
REF 500	In-line fuses (ANL)	80/100/150/200 Ampere

BATTERY TERMINATORS - CHROME PLATED

No.	Alfatec-Name	Specification	Jae
REF 200	Battery terminator +	20 mm ² x 1 10 mm ² x 2 +	130
REF 201	Battery terminator -	20 mm ² x 1 10 mm ² x 2 -	130
REF 202	Clear Cover	for REF 200 & 201	50
REF 203	Battery terminator +	30 mm ² x 1 20 mm ² x 1 10 mm ² x 2	130
REF 204	Battery terminator -	30 mm ² x 1 20 mm ² x 1 10 mm ² x 2	130

see catalogue page 43

POWER DISTRIBUTION BLOCKS

No.	Alfatec-Name	Specification	Jae
REF 111	Distribution block	20 mm ² x 1 in 10 mm ² x 4 out	100
REF 250	Distribution block for direct mounting on a capacitor	20 mm ² x 2 out 10 mm ² x 3 out	420
REF260	Distribution block	50 mm ² x 2 in 20 mm ² x 4 out	290
REF270	Distribution block	50 mm ² x 2 in 25 mm ² x 3 out 10 mm ² x 3 out	310

RINGTERMINALS

No.	Alfatec-Name	Specification	Jae
REF 101	Ringterminal	10 mm ²	50
REF 102	Ringterminal	20 mm ²	60
REF 103	Ringterminal	50 mm ²	80

[see catalogue page 43](#)

TERMINALS

No.	Specification	Jae
REF 600	20 mm ² / Ø4,2 mm 1 red / 1 black in blister	18
REF 601	20 mm ² / Ø6,4 mm 1 red / 1 black in blister	18
REF 602	20 mm ² / Ø8,4 mm 1 red / 1 black in blister	18
REF 603	10 mm ² / Ø4,2 mm 2 red / 2 black in blister	36
REF 605	10 mm ² / Ø8,4 mm 2 red / 2 black in blister	36

REPLACEMENT SCREW IN CONNECTORS

No.	Specification	Jae
Z10	Screw in connectors for 50 mm ² (8pcs)	22
Z11	Screw in connectors for 35 mm ² (8pcs)	22
Z12	Screw in connectors for 20 mm ² (8pcs)	22
Z13	Screw in connectors for 10 mm ² (8pcs)	22

Please note:

All items which are marked with * are articles which are running out and which we are going to take out of the programm as soon as they are sold out

Hinnad sisaldavad käibemaksu 18 %